

nautilus | **11 DLX** | **Luxury Console Tenders**



| | | | |
|------------------|------------------------------|--------------------------------|-----------------------------------|
| S P E C S | Overall Length : 11' / 3.35m | Number of Chambers : 3 | Shaft Length : 20" / 50.8cm |
| | Overall Beam : 6' / 1.82m | Person Capacity : 4 | Gas Built in Tank : 13 Gal / 49 L |
| | Inside Length : 8' / 2.44m | Weight : 456lb / 207kg | RDC Design Category : C |
| | Inside Beam : 2'10" / 0.86m | Recommended HP : 30hp / 22.4kw | |
| | Tube Diameter : 18" / 0.46m | Maximum HP : 40hp / 29.8kw | |

| | | | |
|--|---|--|---|
| S T A N D A R D F E A T U R E S | <ul style="list-style-type: none"> ■ Removable Lateral Seat ■ Height Adjustable Steering Wheel ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Splash well, Draining ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ One All Integrated Deck with Bow Front & Lateral Cushions ■ Solid Single Rub Rail ■ Orca (CSM) Five Layer Coated Fabric ■ Sporty Console Look Design with SS Hand Rail ■ Plexiglass Windshield ■ Stainless Steel Rear Seat Port/Starboard Hand Rail ■ 2 SS Cup Holder | <ul style="list-style-type: none"> ■ Hand Pump ■ Maintenance Kit ■ Owner's Manual ■ Fully Upholstered Seating - Spradling ■ Port Boat Entrance Step with Diamond Non-Skid Shape ■ Integrated Fiberglass Console with Forward & Lateral Seat & Cushion ■ Molded-In Stern Seat & Cushion with Armrest & Large Storage ■ 3 Deck Drains ■ Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Console with Rotating Access ■ Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights ■ 360° White Anchor Light Pole ■ Integrated Stainless Steel Bow Port & Starboard Hand Rails ■ Ample Stern Platform with SS Retracting Cleats ■ 3 Stainless Steel Davit Lifting Points | <ul style="list-style-type: none"> ■ Stainless Steel Tie Down & Towing Rings ■ Stainless Steel Transom Tie Down & Towing Rings ■ Stainless Steel Bow Eye ■ Luxury Look Pannel ■ 4 Waterproof Rocker Switches with Circuit Brakers ■ Battery Box ■ Battery Switch ■ Fuel and Water Separator Filter ■ Fuel Sending Unit ■ Automatic Bilge Pump 500 GPH ■ Battery Charger (Subject to Country of Delivery) ■ Mechanical Steering System ■ Stainless Steel Steering Wheel ■ Complete Tin Wiring & Heat Shrink Seal Terminals ■ 3 Layer Reinforced Seams ■ Stainless Steel Gas Springs ■ LED Courtesy Lights |
|--|---|--|---|

| | | |
|--|---|---|
| O P T I O N A L F E A T U R E S | <ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Bimini Top ■ Chock Set ■ Boat Cover ■ Console Cover ■ Lifting Harness ■ Teak Floor | <ul style="list-style-type: none"> ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Stainless Steel Ski Tow ■ Custom Tube Color (Per Availability) |
|--|---|---|



nautilus | **12 DLX** | **Luxury Console Tenders**



Removable Lateral Seat



| | | | |
|------------------|------------------------------|--------------------------------|-----------------------------------|
| S P E C S | Overall Length : 12' / 3.66m | Number of Chambers : 3 | Shaft Length : 20" / 50.8cm |
| | Overall Beam : 6' / 1.82m | Person Capacity : 5 | Gas Built in Tank : 13 Gal / 49 L |
| | Inside Length : 9'2" / 2.79m | Weight : 515lb / 234kg | RDC Design Category : C |
| | Inside Beam : 2'10" / 0.86m | Recommended HP : 40hp / 29.8kw | |
| | Tube Diameter : 18" / 0.46m | Maximum HP : 50hp / 37.3kw | |

| | | | |
|--|---|--|---|
| S T A N D A R D F E A T U R E S | <ul style="list-style-type: none"> ■ Removable Lateral Seat ■ Height Adjustable Steering Wheel ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Splash well, Draining ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ One All Integrated Deck with Bow Front & Lateral Cushions ■ Solid Single Rub Rail ■ Orca (CSM) Five Layer Coated Fabric ■ Sporty Console Look Design with SS Hand Rail ■ Plexiglass Windshield ■ Stainless Steel Rear Seat Port/Starboard Hand Rail ■ 1 SS Cup Holder | <ul style="list-style-type: none"> ■ Hand Pump ■ Maintenance Kit ■ Owner's Manual ■ Fully Upholstered Seating - Spradling ■ Port Boat Entrance Step with Diamond Non-Skid Shape ■ Integrated Fiberglass Console with Forward & Lateral Seat & Cushion ■ Molded-In Stern Seat & Cushion with Armrest & Large Storage ■ 4 Deck Drains ■ Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Built-In Cooler with Cushion ■ Console Front Access Lid ■ Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights ■ 360° White Anchor Light Pole ■ Integrated Stainless Steel Bow Port & Starboard Hand Rails ■ Ample Stern Platform with SS Retracting Cleats | <ul style="list-style-type: none"> ■ 3 Stainless Steel Davit Lifting Points ■ Stainless Steel Tie Down & Towing Rings ■ Stainless Steel Transom Tie Down & Towing Rings ■ Stainless Steel Bow Eye ■ Luxury Look Pannel ■ 4 Waterproof Rocker Switches with Circuit Brakers ■ Battery Box ■ Battery Switch ■ Fuel and Water Separator Filter ■ Fuel Sending Unit ■ Automatic Bilge Pump 500 GPH ■ Battery Charger (Subject to Country of Delivery) ■ Mechanical Steering System ■ Stainless Steel Steering Wheel ■ Complete Tin Wiring & Heat Shrink Seal Terminals ■ 3 Layer Reinforced Seams ■ Stainless Steel Gas Springs ■ LED Courtesy Lights |
|--|---|--|---|

| | | |
|--|---|---|
| O P T I O N A L F E A T U R E S | <ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Bimini Top ■ Chock Set ■ Boat Cover ■ Console Cover ■ Lifting Harness ■ Teak Floor | <ul style="list-style-type: none"> ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Stainless Steel Ski Tow ■ Custom Tube Color (Per Availability) |
|--|---|---|



nautilus

13 DLX

Luxury Console Tenders



S P E C S

| | | | | | |
|----------------|----------------|--------------------|-----------------|---------------------|-----------------|
| Overall Length | : 13' / 3.96m | Number of Chambers | : 3 | Shaft Length | : 20" / 50.8cm |
| Overall Beam | : 6'5" / 1.95m | Person Capacity | : 5 | Gas Built in Tank | : 15 Gal / 57 L |
| Inside Length | : 9'9" / 2.97m | Weight | : 612lb / 278kg | RDC Design Category | : C |
| Inside Beam | : 3'1" / 0.94m | Recommended HP | : 40hp / 29.8kw | | |
| Tube Diameter | : 18" / 0.46m | Maximum HP | : 60hp / 44.8kw | | |

**S T A N D A R D
F E A T U R E S**

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- One All Integrated Deck with Bow Front & Lateral Cushions
- Solid Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Sporty Console Look Design with SS Hand Rail
- Plexiglass Windshield
- Stainless Steel Rear Seat Port/Starboard Hand Rail
- 1 SS Cup Holder
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Fully Upholstered Seating - Spradling®
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
- Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 4 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Built-In Cooler with Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
- 360° White Anchor Light Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Ample Stern Platform with SS Retracting Cleats
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Tie Down & Towing Rings
- Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
- Luxury Look Panel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Fuel Sending Unit
- Automatic Bilge Pump 500 GPH
- Battery Charger (Subject to Country of Delivery)
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Seal Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs
- LED Courtesy Lights

**O P T I O N A L
F E A T U R E S**

- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)





A B I N F L A T A B L E S

nautilus

14DLX

Luxury Console Tenders



S P E C S

| | | | | | |
|----------------|------------------|--------------------|-----------------|---------------------|-----------------|
| Overall Length | : 14' / 4.27m | Number of Chambers | : 5 | Shaft Length | : 20" / 50.8cm |
| Overall Beam | : 6'6" / 1.98m | Person Capacity | : 6 | Gas Built in Tank | : 21 Gal / 78 L |
| Inside Length | : 10'10" / 3.30m | Weight | : 730lb / 332kg | Water Built in Tank | : 9 Gal / 34 L |
| Inside Beam | : 3'1" / 0.94m | Recommended HP | : 50hp / 37.3kw | RDC Design Category | : C |
| Tube Diameter | : 19" / 0.48m | Maximum HP | : 70hp / 52.2kw | | |

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank with Pump and Shower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- One All Integrated Deck with Bow Front & Lateral Cushions
- Solid Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Sporty Console Look Design with SS Hand Rail
- Plexiglass Windshield
- 4 SS Cup Holders
- Stainless Steel Rear Seat Port/Starboard Hand Rail
- Fully Upholstered Seating - Spradling®
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Integrated Fiberglass Console with Forward & Lateral Seat & Cushion
- Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 4 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Built-In Cooler with Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
- 360° White LED Anchor Light Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Ample Stern Platform with SS Retracting Cleats
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Tie Down & Towing Rings
- Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
- 6 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Fuel Sending Unit
- Automatic Bilge Pump 500 GPH
- Battery Charger (Subject to Country of Delivery)
- Hydraulic Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Seal Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)



www.abinflatables.com



A B I N F L A T A B L E S

nautilus

15DLX

Luxury Console Tenders



OPTIONAL SUNBED



S P E C S

| | | | | | |
|----------------|-----------------|--------------------|-----------------|---------------------|------------------|
| Overall Length | : 15' / 4.57m | Number of Chambers | : 5 | Shaft Length | : 20" / 50.8cm |
| Overall Beam | : 6'9" / 2.05m | Person Capacity | : 6 | Gas Built in Tank | : 27 Gal / 102 L |
| Inside Length | : 11'6" / 3.50m | Weight | : 766lb / 348kg | Water Built in Tank | : 12 Gal / 45 L |
| Inside Beam | : 3'2" / 0.97m | Recommended HP | : 60hp / 44.8kw | RDC Design Category | : C |
| Tube Diameter | : 19" / 0.48m | Maximum HP | : 70hp / 52.2kw | | |

S T A N D A R D F E A T U R E S

- Hand Laid Fiberglass Deep"V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank with Pump and Stower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- One All Integrated Deck with Bow Front & Lateral Cushions
- Solid Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Sporty Console Look Design with SS Hand Rail
- Plexiglass Windshield
- 3 SS Cup Holders
- Stainless Steel Rear Seat/Starboard Hand Rail
- Fully Upholstered Seating - Spradling®
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Integrated Fiberglass Console with Forward Seat & Cushion
- Molded In Stern Seat & Cushion with Armrest & Large Storage
- 4 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Built-In Cooler with Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
- 360° White LED Anchor Light Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Ample Stern Platform with SS Retracting Cleats
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Tie Down & Towing Rings
- Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
- 6 Waterproof Rocker Switches with Circuit Breakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Fuel Sending Unit
- Automatic Bilge Pump 500 GPH
- Battery Charger (Subject to Country of Delivery)
- Hydraulic Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Seal Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L F E A T U R E S

- Bow Sunbathing Bed
- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)



www.abinflatables.com

nautilus | **17DLX** | **Luxury Console Tenders**



| | | | |
|------------------|-------------------------------|--------------------------------|-------------------------------------|
| S P E C S | Overall Length : 17' / 5.18m | Number of Chambers : 5 | Shaft Length : 20" / 50.8cm |
| | Overall Beam : 8'1" / 2.46m | Person Capacity : 10 | Gas Built in Tank : 33 Gal / 125 L |
| | Inside Length : 13'1" / 4.00m | Weight : 1250lb / 568kg | Water Built in Tank : 10 Gal / 38 L |
| | Inside Beam : 4'5" / 1.35m | Recommended HP : 90hp / 67.1kw | RDC Design Category : C |
| | Tube Diameter : 20" / 0.51m | Maximum HP : 115hp / 85.8kw | |

| | | | |
|--|--|---|--|
| S T A N D A R D F E A T U R E S | <ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Marine Grade Aluminum Water Tank with Pump and Shower ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Bow Rider Seating Style ■ Splash well, Draining ■ One All Integrated Deck with Bow Front & Lateral Cushions ■ Solid Double Rub Rail ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Orca (CSM) Five Layer Coated Fabric ■ Hand Pump ■ Maintenance Kit ■ Owner's Manual ■ Sporty Console Look Design with SS Hand Rail ■ Plexiglass Windshield | <ul style="list-style-type: none"> ■ 2 SS Cup Holders ■ Recessed SS Ladder ■ Stainless Steel Rear Seat Port/Starboard Hand Rail ■ Fully Upholstered Seating - Spradling® ■ Port Boat Entrance Step with Diamond Non-Skid Shape ■ Bow Sunbathing Bed ■ Integrated Fiberglass Console ■ Molded-In Stern Seat & Cushion with Armrest & Large Storage ■ 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion ■ 2 Deck Drains ■ Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Console Front Access Lid ■ Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights ■ 360° White LED Anchor Light Pole ■ Integrated Stainless Steel Bow Port & Starboard Hand Rails ■ Ample Stern Platform with SS Retracting Cleats | <ul style="list-style-type: none"> ■ 3 Stainless Steel Davit Lifting Points ■ Stainless Steel Tie Down & Towing Rings ■ Stainless Steel Bow Eye ■ Stainless Steel Transom Tie Down & Towing Rings ■ 6 Waterproof Rocker Switches with Circuit Brakers ■ Battery Box ■ Battery Switch ■ Fuel and Water Separator Filter ■ Fuel Sending Unit ■ Automatic Bilge Pump 750 GPH ■ Battery Charger (Subject to Country of Delivery) ■ Hydraulic Steering System with Height Adjustable Steering Wheel ■ Stainless Steel Steering Wheel with Knob ■ Complete Tin Wiring & Heat Shrink Seal Terminals ■ 3 Layer Reinforced Seams ■ Stainless Steel Gas Springs ■ LED Courtesy Lights |
|--|--|---|--|

| | | |
|--|---|--|
| O P T I O N A L F E A T U R E S | <ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Bimini Top ■ Chock Set ■ Boat Cover ■ Console Cover ■ Lifting Harness ■ Teak Floor | <ul style="list-style-type: none"> ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Rod Holders ■ Stainless Steel Ski Tow ■ Custom Tube Color (Per Availability) |
|--|---|--|



nautilus | **19DLX** | **Luxury Console Tenders**



| | | | |
|-----------|-------------------------------|---------------------------------|-------------------------------------|
| S P E C S | Overall Length : 19' / 5.79m | Number of Chambers : 5 | Shaft Length : 25" / 63.5cm |
| | Overall Beam : 8'4" / 2.54m | Person Capacity : 12 | Gas Built in Tank : 67 Gal / 254 L |
| | Inside Length : 15'4" / 4.67m | Weight : 1639lb / 745kg | Water Built in Tank : 20 Gal / 76 L |
| | Inside Beam : 4'5" / 1.35m | Recommended HP : 115hp / 85.8kw | RDC Design Category : C |
| | Tube Diameter : 22" / 0.56m | Maximum HP : 150hp / 111.9kw | |

| | | |
|------------------------------------|---|--|
| S T A N D A R D F E A T U R E S | <ul style="list-style-type: none"> ■ Lean On ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Self Bailing Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Marine Grade Aluminum Water Tank with Pump and Shower ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Bow Rider Seating Style ■ Splash well, Draining ■ One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions ■ 2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes ■ Raised Double Rub Rail ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Orca (CSM) Five Layer Coated Fabric ■ Hand Pump ■ Maintenance Kit | <ul style="list-style-type: none"> ■ Owner's Manual ■ Fiberglass Console with Forward Seat & Cushion ■ Fully Upholstered Seating - Spradling® ■ Port Boat Entrance Step with Diamond Non-Skid Shape ■ Bow Sunbathing Bed ■ Integrated Fiberglass Console ■ Molded-In Stern Seat & Cushion with Armrest & Large Storage ■ 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion ■ 2 Deck Drains ■ Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Console Front Access Lid ■ Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights ■ 360° LED White Anchor Light Pole ■ Integrated Stainless Steel Bow Port & Starboard Hand Rails ■ Lateral Fold Down Stainless Steel Cleat ■ 3 Stainless Steel Davit Lifting Points |
|------------------------------------|---|--|

| | | |
|------------------------------------|---|--|
| O P T I O N A L F E A T U R E S | <ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Transom Ladder ■ Bimini Top ■ Chock Set ■ Boat Cover ■ Console Cover ■ Lifting Harness | <ul style="list-style-type: none"> ■ Teak Floor ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Rod Holders ■ Stainless Steel Ski Tow |
|------------------------------------|---|--|



nautilus

19DLX - I/O*

Luxury Console Tenders



S P E C S

| | | |
|-------------------------------|----------------------------------|-------------------------------------|
| Overall Length : 19' / 5.79m | Number of Chambers : 5 | Shaft Length : I/O - Jet |
| Overall Beam : 8'4" / 2.54m | Person Capacity : 10 | Gas Built in Tank : 67 Gal / 254 L |
| Inside Length : 15'4" / 4.67m | Weight : 1551lb / 705kg | Water Built in Tank : 20 Gal / 76 L |
| Inside Beam : 4'5" / 1.35m | Recommended HP : 150hp / 111.9kw | RDC Design Category : C |
| Tube Diameter : 22" / 0.56m | Maximum HP : 220hp / 264.1kw | |

**S T A N D A R D
F E A T U R E S**

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Self Bailing Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank with Pump and Shower
- Transom Swim Platform
- Bow Rider Seating Style
- One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
- 2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Port Boat Entrance Step with Diamond Non-Skid Shape
- Bow Sunbathing Bed
- Stern Sunbathing Bed
- Integrated Fiberglass Console
- Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion
- 2 Deck Drains
- Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Integrated Stainless Steel Bow Port & Starboard Hand Rails
- Lateral Fold Down Stainless Steel Cleat
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Console Grab Handle
- Stainless Steel Tie Down & Towing Rings
- Stainless Steel Bow Eye
- Stainless Steel Transom Tie Down & Towing Rings
- Luxury Look Pannel
- 6 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 750 GPH
- Battery Charger
- Hydraulic Steering System with Height Adjustable Steering Wheel
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Seal Terminals
- 4 Layer Reinforced Seams
- Stainless Steel Gas Springs
- LED Courtesy Lights

**O P T I O N A L
F E A T U R E S**

- Stainless Steel Light Arch
- Transom Ladder
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow

